

**LTCH Compare Data: RML Specialty Hospital vs National and Regional LTCHs**  
**(Information provided is the most recently published data on LTCH Compare Site)**

	RML	National Avg	Holy Family	Kindred Northlake	Kindred Chicago Lakeshore	Regency NW Indiana	Greater Peoria Specialty Hospital	Kindred Sycamore
New or Worsened Pressure Ulcers	<b>4.0%</b>	2.3%	0.8%	8.7%	8.4%	2.3%	1.0%	1.6%
CAUTI	<b>0.712</b>	0.731	<b>0.63</b>	0.912	<b>2.1</b>	0.794	0.369	0.829
CLABSI	<b>1.185</b>	0.723	<b>1.117</b>	1.25	0.961	<b>1.92</b>	0	0.379
CDI	<b>0.404</b>	0.349	<b>0.382</b>	0.518	0.355	0.605	0.379	0.102
Flu Vaccine among healthcare workers	<b>95.5%</b>	71.5%	88.8%	93.0%	95.9%	88.2%	94.8%	93.7%
Percentage of LTCH healthcare personnel who completed Covid-19 primary vaccination series	<b>99.7%</b>	88.8%	98.7%	84.7%	98%	93.2%	94.0%	85.6%
Patient Falls with Major Injury	<b>0%</b>	0.1%	0.1%	0%	0%	0.0%	0%	0%
Percentage of patients whose activities of daily living and thinking skills were assessed and related goals were included in their treatment plan	<b>99.5%</b>	98.8%	99.6%	95.6%	98%	99.2%	100%	97.1%
Percentage of patients whose functional abilities were assessed and functional goals were included in their treatment plan	<b>99.8%</b>	98.3%	99.9%	92.6%	97.6%	99.6%	100%	96.1%
Change in ability to move around for patients admitted on a ventilator	<b>7.3</b>	7	5.4	6.1	6.3	5.3	6.7	5.4
Percentage of patients on ventilators assessed for readiness to begin breathing trials without a ventilator within the first 2 days of LTCH stay	<b>100.0%</b>	93.8%	99.7%	99.7%	95.9%	100.0%	90.4%	99.0%
Percentage of patients on ventilators who appropriately received breathing trials within the first 2 days of their LTCH stay	<b>100.0%</b>	97.4%	99.7%	100.0%	99.0%	97.4%	98.8%	100%
Percentage of patients that were successfully weaned from the ventilator during LTCH stay	<b>51.3%</b>	51.7%	57.4%	29.6%	34.2%	58.1%	58.3%	47.0%
Percentage of patients whose medications were reviewed and who received follow-up care when medication issues were identified	<b>96.7%</b>	94.0%	97.7%	95.2%	68.0%	67.2%	93.4%	100.0%
Rate of potentially preventable hospital readmissions 30 days after discharge from an LTCH	<b>18.07%</b>	19.0%	19.6%	22.16%	22.15%	20.60%	20.41%	19.21%
Discharge to Community	<b>22.12%</b>	18.96%	12.70%	13.85%	13.15%	18.39%	16.10%	19.36%
MSPB	<b>1.06</b>	1.01	1.06	0.99	1.06	1.01	0.90	1.04
<b>CMS REPORTING KEY</b>	<b>Better Than National Benchmark</b>			<b>No Different Than the National Benchmark</b>			<b>Worse Than National Benchmark</b>	
<b>*Highlighted cells indicate statistically significant results as published on</b>								